

## **NIUE SHIP REGISTRY**

10 Anson Road #25-15, International Plaza, Singapore 079903 Tel: +65 6226-2001 Fax: +65 6226-3001 Email:info@niueship.com Website: <a href="www.niueship.com">www.niueship.com</a>


## FLAG STATE INSPECTION REPORT (FORM FSI)

Instructions:								
This form is to be completed by the Flag State inspector and shall include written comments where appropriate to document the vessel's condition and crew competence.								
Vesse	l Name	Type of Vessel	IMO Number	Offici	al Nun	nber	Gross Tonnage	Year Built
Date ,	/ Time Inspec	tion Started	Date / Time Inspec	tion En	ided		Country / Port of Ins	spection
Inspec	ction Type		1	Conto	act de	tails of D	OPA (as listed and avo	ailable on vessel)
☐ Ar	nnual 🗌	Follow up						
Name	of Company	/ Rep (if onboard)	Contact details (a	ddress/	/phone	e/email)	of Company Rep (if	onboard)
Name	of FSI Inspec	tor	Company Name o	of FSI Inspector ID Card No.				
	: MANNING			Yes	No	N/A	Remai	rks
		as per minimum safe manning 🔲 🔲						
1.*		as per minimum	n safe manning					
2.		as per minimum	n safe manning					
	<ul><li>Manned certificate</li><li>Medical</li><li>Person in c</li></ul>	as per minimum ? harge of medical co	are designated?					
	Manned certificate:     Medical     Person in c     Medical fire	as per minimum ? harge of medical co st aid provider desig	are designated? nated?					
2.	Manned certificates     Medical     Person in c     Medical fir     Master state	as per minimum?  harge of medical cost aid provider designers all crew are medical cost and provider designers all crew are medical cost and crew are medical cost and cost an	are designated? inated? lically fit for duty?					
	Manned certificate:     Medical     Person in c     Medical fir     Master state     Records of s	as per minimum?  charge of medical cost aid provider designers all crew are medical crew and referers' work and resigners.	are designated? inated? lically fit for duty? rest hours					
2.	Manned certificate:     Medical     Person in c     Medical fir     Master state     Records of s     Comply wi	as per minimum?  harge of medical cost aid provider designers all crew are medical cost and provider designers all crew are medical cost and crew are medical cost and cost an	are designated? Inated? Iically fit for duty? Test hours					


	II: SAFETY MANAGEMENT SYSTEM (SMS)	Yes	No	N/A	Remarks
1.	SMS Manual and Documents				
	Written in language understood by crew?				
	Maintenance procedures complied and				
	recorded?				
	Includes Plan for drills and training?     Precedures for Internal Audit & Management	$\square$			
	<ul> <li>Procedures for Internal Audit &amp; Management Review?</li> </ul>				
	<ul> <li>Procedures in place for contacting the company in an emergency?</li> </ul>				
2.	Crew Responsibilities				
	• Master & Officers can identify designated person?				
	Master carrying out his/her SMS responsibilities?				
	• Crew familiar with company safety &				
	environmental protection policy?				
3.	Master has completed SMS review as per ship's SMS?				Date:
4.*	Evidence			I	
	Ship provides SMS familiarization for new crew?				
	• Ship reports non-conformities as required by SMS?				
	Company takes corrective action when		П		
	appropriate?				
	Ship conducts emergency drills/exercises?				
	Ship maintains & tests critical equipment & records results in accordance with SMS?				
	• Equipment condition indicates effective maintenance system?				
5.*	Non-conformities – Any outstanding or overdue?				
Defici	encies / Observations / Comments - PART II: SAFETY A	MANAG	EMENT	SYSTE	M (SMS)

	III: SECURITY	Yes	No	N/A	Remarks
1.	Vessel operates on at least the security level set by the port?				
2.	Officers and crew know the ship's current security level and their own duties for each level? Can crew identify CSO?				
3.*	Effective system of control of access to the vessel in place?				
4.	Restricted areas of vessel marked and access restricted?				
5.	Required security drills & annual security exercise conducted?				
6.	SSO familiar with terminal security procedures and local contact information?				
Defici	encies / Observations / Comments - PART III: SECURIT	Υ			

(FSI Ir aban- inspec scend cargo	V: DRILLS AND RECORDS aspectors shall make an effort to hold a fire and don ship drill where practicable. In addition, the ctor should query the crew on emergency response urios such as spill response, security, or pump room or a hold confined space entry/rescue to verify crew	Yes	No	N/A	Remarks
prepo	aredness.)				
1.	Weekly, monthly, quarterly and annual inspections of safety equipment, survival craft, rescue boats and launching appliances carried out and recorded?				
2.	Required weekly emergency preparedness and response drill or training conducted and recorded?				
3.*	Lifeboat Launching				
	<ul> <li>Davit launched – (≤3 months)</li> <li>Freefall (launched or simulated launch) – (≤6 months)</li> </ul>				
	(boarded) – (≤3 months)				
	<ul> <li>(a) In the case of a lifeboat arranged for free-fall launching from a height of 20m or less - at least once every 3 months during an abandon ship drill the crew shall board the lifeboat, properly secure themselves in their seats and commence launch procedures up to but not including the actual release of the lifeboat (i.e. the release hook shall not be released). The lifeboat shall then either be free-fall launched with only the required operating crew on board, or lowered into the water by means of a secondary means of launching with or without the operating crew on board. In both cases the lifeboat shall thereafter be maneuvered in the water by the operating crew. At intervals of not more than 6 months, the lifeboat shall either be launched by freefall with only the operating crew on board, or simulated launching shall be carried out.</li> <li>(b) In the case of a lifeboat arranged for free-fall launching from a height of more than 20m – launching by falls is acceptable, provided that a simulated free-fall launch is conducted at least once every 6 months.</li> </ul>				
4.	Radio Log Books properly maintained?				
	<ul> <li>Required daily, weekly and monthly tests of the GMDSS including reserve power testing carried out?</li> </ul>				
5.	Required security drills & annual security exercise conducted?				
6.*	Emergency generated been tested and recorded?				Date of last test:
7.*	Fire and Abandon Ship Drills carried out?				Type of drills held:
	<ul> <li>Senior officers and staff effectively coordinated drill/response?</li> </ul>				
	<ul> <li>Crew familiar with emergency response duties &amp; procedures?</li> </ul>				
	<ul> <li>Crew knowledgeable in use of ship's safety &amp; response equipment?</li> </ul>				
	<ul> <li>Officers &amp; crew able to communicate in a common language and work effectively as a team?</li> </ul>				
	<ul> <li>Crew donned correct personal protective equipment?</li> </ul>				
	• Crew familiar with lowering/launching lifeboats, life rafts and rescue boat?				
	• Crew demonstrated proper operation of "on load" release gear?				
	• Fireman outfits properly outfitted and in good condition?				
	Breathing Apparatus air bottles filled?				




PART	V: OPERATIONAL TEST	Yes	No	N/A	Remarks
1.*	Engine Room quick closing valves & emergency	П	П		
	stop for pumps				
2.*	Emergency Fire Pump				
	Water pressure satisfactory?	Ш	Ш		
	• Crew familiar with starting/operating				
2 *	procedures?				
3.*	Fire Screen Doors  • Free from manual hold backs?				
	Self closing doors close properly?				
4.*	Fire Dampers		Ш		
	Engine room dampers tested in good working				
	order?		Ш		
	• Stack dampers visually examined locally and				
	tested to seal properly and are in good working				
	order?				
	Other fire dampers and ventilation closing				
	appliances, including gaskets, handles and other				
	mechanical mechanisms in good working				
5.*	condition and close properly?  Water tight door satisfactory?				
6.*	Emergency shutdowns satisfactory?	H	H		
7.*	High bilge alarms satisfactory?	H	H	$\vdash \vdash$	
8.*	Steering gear alarms satisfactory?	H	H	H	
9.*	Emergency lightings satisfactory?	H	Ħ		
10.*	General alarm and engineer's alarm for				
	unmanned machinery system working properly?		Ш		
11.*	Emergency generator has been tested and load				
	supplied?				
	• Starting arrangement working properly? (2		П		
	different sources of power for starting)				
	Ventilation and air supply system working				
	properly? • Emergency switchboard in satisfactory				
	condition?				
	Starting batteries and charging arrangements,				
	where fitted, checked and charger operating				
	correctly?				
12.*	Oily Water Separation (OWS) system, including all		_		
	piping and solenoid valve arrangements in good				
	operable condition?				
	• 15-ppm alarm and automatic closing system or				
	pump shutdown working properly? • Free of leakages?				
	Three way valve operable?			$\vdash \vdash \vdash$	
	No suspicious piping, flanges, and/or hoses?	H	H		
Defici	encies / Observations / Comments - PART V: OPERATI	ONAL 1	FST		
Denier	energy observations, comments TARTY. OF ERAIT	OTTAL I	LUI		




	VI: BRIDGE & NAVIGATION EQUIPMENT	Yes	No	N/A	Remarks
	ollowing navigation equipment operating properly?)				
*	Radars				
	3GHz Radar / S-Band	Щ.	$\Box$	닏	
	9GHz Radar / X-Band			oxdot	
	ARPA and radar plotting facilities			$\sqcup \sqcup$	
	Global Navigation Satellite System				
	Magnetic compass				
	<ul> <li>Visible form the steering position?</li> </ul>				
	Updated calibration table available?				
	Compass error regularly checked and recorded?	同			
	Gyro compass master and repeaters				
	Compass error regularly checked and recorded?	П		ПП	
	Echo sounding device	H	┢┢	$\vdash \vdash$	
	Course recorder	H	H	H	
	Rate of Turn Indicator (≥50,000 GT)	H	$\vdash \vdash$	<del>                                     </del>	
		H	$\vdash \vdash \vdash$	┝╫╴	
	Maneuvering characteristics	ш	Ш	ш	
	Speed & distance indicator through the water (not				
.,	GPS over ground)				
).*	VDR or SVDR	<u> </u>	$\perp \sqcup$	$\vdash \bot$	1
	Annual examination and test conducted?			$\sqcup \sqcup$	
	Maximum period between test is 18 months unless				
	certificate has been extended (MSC.1/Circ 1222)			$\Box$	
	Three way valve operable?				
	No suspicious piping, flanges, and/or hoses?				
	AIS	Ħ			
	SART (Battery not expired)	H	ΙĦ	Ħ	
	EPIRB (Battery not expired)	H			
	Capable of floating free?	H	$\vdash \vdash$	H	
		H	$\vdash \vdash$	++	
	Hydrostatic release valid?	H	$\Box$	$\vdash$	
	Annual test done?		<u> </u>		
	Distress & Emergency Equipment stowed on or near				
	the bridge?				
	Red parachute flares (12)?	Ш		Ш	
	Line Throwing rockets?				
	• Life jackets?				
	• Exposure suits?				
	VHF/Portables				
	NAVTEX			П	
	GMDSS	同		百	
	Navigation lights including duplication and failure				
	alarm	Ш			
*	Charts & Publications		I.	<u> </u>	
	Nautical publications, including sailing directions,				1
	list of lights, tide tables, notice to mariners and				
	other publications for intended voyage on board	П			
	and current to the latest editions and			╷╵	
	corrections?		<u> </u>	1	1
	Nautical charts updated to the latest available				
	notice to mariners?				-
	Current chart catalog provided?	$\sqcup$	$\sqcup \sqcup$	$\sqcup$	1
	• If equipped with ECDIS as primary only, backup				
	current paper charts provided?				
	If equipped with ECDIS as backup also, evidence				
	of proper training provided?			╷└	
	Officers hold ECDIS training certificates as				
	required?			$\sqcup$	
	Illustrated table of life saving signals posted on the				1
	bridge?			$\sqcup$	
).	ECDIS, if equipped, is up-to-date and crew familiar		<u> </u>	<u> </u>	
•	with use?				
	Berth to berth passage plan available including		1	1	
	r benin io benin bassade bian avallable inclijalna l				
	Under Keel Clearance?				


<sup>\*</sup> Priority Item



PART '	VII: CREW ACCOMMODATIONS & GENERAL SAFETY	Yes	No	N/A	Remarks
1.	Galley & food				
	Food storage adequate?	Ш	Ш		
	• Spaces free from insects, rodents, and other pests?				
	<ul> <li>Galley range hood and grease traps clean and free of grease?</li> </ul>				
	<ul> <li>Galley fire suppression systems serviced and operable (if fitted)?</li> </ul>				
2.	Hoses & deck fittings for receiving and producing potable water in acceptable condition?				
3.	Accommodations				
	Spaces clean and in habitable condition?				
	<ul> <li>Ventilation &amp; heating in accommodation spaces adequate?</li> </ul>				
	Lighting adequate?				
	• Sanitary facilities, including sinks, toilets and				
	showers clean and in acceptable condition?  • Shipboard working arrangement table posted				
	and contains required information?  • Ship specific SOLAS training manuals available in		Ш		
	each crew mess and recreation room, or in each crew cabin and in the language of the crew?				
	• Legible, up-to-date fire control plans posted in				
	accommodation spaces and stored in weather tight containers outside deckhouse?				
4.	Hospital		1		
	• If provided, is the hospital clean, properly equipped and ready for use?				
	Medical chest complete and inventory current?				
5.*	Escape ways accessible, free of obstructions, properly lighted?				
6.	IMO symbols used for marking escape ways and locations of emergency equipment?				
7.*	Pilot ladders and related boarding arrangements clean and in good condition?				
Defici		ACCON	MODA	ATIONS	& GENERAL SAFETY
Defici	encies / Observations / Comments - PART VII: CREW A	ACCOM	AMODA	ATIONS	& GENERAL SAFETY



1. Life buoys with reflective tope, markings, lights and smoke signals on board in required number/locations? 2. Required number of immersion suits and thermal profective aids available, proper size for crew, and serviced as per manufacturer's specis Salversi? 4. Muster lists and emergency instructions provided to accommodations? 5. Operating instructions for illeravoing appliances posted an scene under emergency illuminations? 6.* Ulifeboals, Rescue Boat, Lauraching Appliances opsised an scene under emergency illuminations? 6.* Ulifeboat davils, limit switches, fall, sheaves, winches, brokes and associated equipment in sultistatory condition? No wastege, doublers or fractures. 6.* Virtual of the service of the servi	PART	VIII: LIFESAVING APPLIANCES	Yes	No	N/A	Remarks
2. Required numbers of lifejackets with whistles, retro- reflective material and lights available and in good condition?  3.* Required number of immersion suits and thermal protective aids available, proper size for crew, and serviced as per manufacturer's specs (s3 years)?  4. Muster lists and emergency instructions provided to crew and posted on the bridge, engine room and accommodations?  5. Operating instructions for lifesaving appliances posted on scene under emergency illumination?  6.* Lifeboats, Rescue Boat, Launching Appliances  • Lifeboat davits, limit switches, fall, sheaves, winches, brakes and associated equipment in satisfactory condition? No wastage, doublers or fractures.  • Wire falls renewed at intervals not exceeding 5 years?  • On-load release gear overhauled and tested at 5-vear intervals?  • Lifeboat hulls, rudders, propellers and other fittings in satisfactory condition?  • Lifeboat and rescue boat engines operate satisfactorily?  • Lifeboat inventory complete and in good condition (spot check)?  • Rescue boats in good condition?  7.* Life rafts stowed properly and capable of floating free?  • Life rafts painters and hydrostatic releases properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?  • Ladders reach water level in light ship condition?  • All embarkation areas properly illuminated?	1.					
Required number of immersion suits and thermal protective aids available, proper size for crew, and serviced as per manufacturer's specs (\$3 years)?	2.	Required numbers of lifejackets with whistles, retro- reflective material and lights available and in good				
4. Muster lists and emergency instructions provided to crew and posted on the bridge, engine room and accommodations?  5. Operating instructions for lifesaving appliances posted on scene under emergency illumination?  6.* Lifeboats, Rescue Boat, Launching Appliances  • Lifeboat daviis, limit switches, fall, sheaves, winches, brakes and associated equipment in satisfactory condition? No wastage, doublers or fractures.  • Wire falls renewed at intervals not exceeding 5 years?  • On-load release gear overhauled and tested at 5-year intervals?  • Lifeboat hulls, rudders, propellers and other fittings in satisfactory condition?  • Lifeboat and rescue boat engines operate satisfactorily?  • Lifeboat inventory complete and in good condition (spot check)?  • Rescue boats in good condition?  7.* Life rafts  • Life rafts stowed properly and capable of floating free?  • Life rafts painters and hydrostatic releases property connected via a weak link?  8. Embarkation ladders in good condition?	3.*	Required number of immersion suits and thermal protective aids available, proper size for crew, and				
posted on scene under emergency illumination?	4.	Muster lists and emergency instructions provided to crew and posted on the bridge, engine room and				
Lifeboat davits, limit switches, fall, sheaves, winches, brakes and associated equipment in satisfactory condition? No wastage, doublers or fractures.   Wire falls renewed at intervals not exceeding 5 years?   On-load release gear overhauled and tested at 5-year intervals?   Lifeboat hulls, rudders, propellers and other fittings in satisfactory condition?   Lifeboat and rescue boat engines operate satisfactorily?   Lifeboat inventory complete and in good condition (spot check)?   Rescue boats in good condition?   T.* Life rafts   Life rafts stowed properly and capable of floating free?   Life rafts painters and hydrostatic releases properly connected via a weak link?   Embarkation ladders in good condition including forward ladder?   Ladders reach water level in light ship condition?	5.					
Lifeboat davits, limit switches, fall, sheaves, winches, brakes and associated equipment in satisfactory condition? No wastage, doublers or fractures.   Wire falls renewed at intervals not exceeding 5 years?   On-load release gear overhauled and tested at 5-year intervals?   Lifeboat hulls, rudders, propellers and other fittings in satisfactory condition?   Lifeboat and rescue boat engines operate satisfactorily?   Lifeboat inventory complete and in good condition (spot check)?   Rescue boats in good condition?   T.* Life rafts   Life rafts stowed properly and capable of floating free?   Life rafts painters and hydrostatic releases properly connected via a weak link?   Embarkation ladders in good condition including forward ladder?   Ladders reach water level in light ship condition?	6.*	Lifeboats, Rescue Boat, Launching Appliances				
Wire falls renewed at intervals not exceeding 5 years?      On-load release gear overhauled and tested at 5-year intervals?      Lifeboat hulls, rudders, propellers and other fittings in satisfactory condition?      Lifeboat and rescue boat engines operate satisfactorily?      Lifeboat inventory complete and in good condition (spot check)?      Rescue boats in good condition?      Life rafts      Life rafts      Life rafts stowed properly and capable of floating free?      Life rafts painters and hydrostatic releases properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?      Ladders reach water level in light ship condition?      All embarkation areas properly illuminated?		<ul> <li>Lifeboat davits, limit switches, fall, sheaves, winches, brakes and associated equipment in satisfactory condition? No wastage, doublers or</li> </ul>				
5-year intervals?  • Lifeboat hulls, rudders, propellers and other fittings in satisfactory condition?  • Lifeboat and rescue boat engines operate satisfactorily?  • Lifeboat inventory complete and in good condition (spot check)?  • Rescue boats in good condition?  7.* Life rafts  • Life rafts stowed properly and capable of floating free?  • Life rafts painters and hydrostatic releases properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?  • Ladders reach water level in light ship condition?  • All embarkation areas properly illuminated?		• Wire falls renewed at intervals not exceeding 5				
in satisfactory condition?  Lifeboat and rescue boat engines operate satisfactorily?  Lifeboat inventory complete and in good condition (spot check)?  Rescue boats in good condition?  7.* Life rafts  Life rafts stowed properly and capable of floating free?  Life rafts painters and hydrostatic releases properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?  Ladders reach water level in light ship condition?  All embarkation areas properly illuminated?						
satisfactorily?  • Lifeboat inventory complete and in good condition (spot check)?  • Rescue boats in good condition?  7.* Life rafts  • Life rafts stowed properly and capable of floating free?  • Life rafts painters and hydrostatic releases properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?  • Ladders reach water level in light ship condition?  • All embarkation areas properly illuminated?		in satisfactory condition?				
condition (spot check)?  Rescue boats in good condition?  7.* Life rafts  Life rafts stowed properly and capable of floating free?  Life rafts painters and hydrostatic releases properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?  Ladders reach water level in light ship condition?  All embarkation areas properly illuminated?		satisfactorily?				
7.* Life rafts  • Life rafts stowed properly and capable of floating free?  • Life rafts painters and hydrostatic releases properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?  • Ladders reach water level in light ship condition?  • All embarkation areas properly illuminated?		condition (spot check)?				
Life rafts stowed properly and capable of floating free?      Life rafts painters and hydrostatic releases properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?      Ladders reach water level in light ship condition?      All embarkation areas properly illuminated?						
free?  • Life rafts painters and hydrostatic releases properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?  • Ladders reach water level in light ship condition?	7.*	Life rafts				
properly connected via a weak link?  8. Embarkation ladders in good condition including forward ladder?  • Ladders reach water level in light ship condition?  • All embarkation areas properly illuminated?		free?				
forward ladder?  • Ladders reach water level in light ship condition?  • All embarkation areas properly illuminated?		properly connected via a weak link?				
All embarkation areas properly illuminated?	8.	forward ladder?				
			⊢⊢			
Deticiencies / Observations / Comments - PART VIII: LIFESAVING APPLIANCES						




PART	X: FIREFIGHTING EQUIPMENT	Yes	No	N/A	Remarks
1.	Weekly, monthly and quarterly maintenance,				
	testing and inspection of fire detection,				
	extinguishing systems and appliances carried out		Ш		
	and recorded by crew?				
2.	Portable fire extinguishers			,	Annual Date:
	• Surveyed annually and contents verified				Bi-annual Date:
	(weighted etc.) biennially?				
	In correct locations as per fire control plan and in		]		
	good condition?		Ш	ΙШ	
	Required number of spares provided?				
3.*	Fire Main and Stations				
J.	Fire pumps in proper working condition and				
	deliver adequate water pressure?				
	Piping, couplings and valves free of corrosion,				
	doublers and soft patches? No leaks?				
	Stations: Hose, nozzle and spanner? Nozzle spray			l —	
	adjustments workable and hoses not		Ш		
	deteriorated?				
4.	Foam analyzed within required intervals? (3 years				
	for new foam concentrates stored on board; 1 year				
	thereafter)				
5.*	Paint locker fire extinguishing system installed?		Ш	Ш	
	<ul> <li>All paint properly stored in the pain locker?</li> </ul>				
6.	Emergency Escape Breathing Devices (EEBDs) in			П	
	good condition?		Ш		
7.	International shore connection available (bolts				
	included)?		Ш	Ш	
Defici	encies / Observations / Comments - PART IX: FIREFIGI	HTING I	QUIPA	<b>NENT</b>	

PART:	X: HULL	Yes	No	N/A	Remarks
1.	Plimsoll mark properly marked and painted,				
	corresponding to the Loadline certificate	]			
2.	Draft marks properly marked and painted on bow				
	and stern?	]	Ш		
3.	Condition of shell plating satisfactory?				
	Shell plating pitted or corroded?				
	Major indents in the shell plates?				
	Improper repairs or doublers?				
4.	Openings in hull satisfactory?				
	• Structure of side shell doors and/or bow/stern	]			
	doors sound and gaskets satisfactory?	Ш	Ш	Ш	
	Cleats and closing appliance satisfactory?				
	Alarms including remote locations in good	]			
	working order?	]			
5.	Condition of deck plating satisfactory?				
	Alarms including remote locations in good				
	working order?				
	Is there any damage, pitting or heavy corrosion?				
6.*	Condition of hatch covers satisfactory?				
	Gasket, channel, clamps in good condition?				
	Water-tight?				
	Non-return valves in good condition?				
7.	Condition of rails/bulwarks, doors and their	П			
	supports satisfactory?	]			
	Doors in guardrail/bulwarks in good condition?				
8.	All deckhouses, superstructure & their closing				
	appliances satisfactory?				
9.	Small hatches and closing arrangements in good				
	condition?	]			
	Covers cleats, gaskets and hinges in satisfactory				
	condition?	]		]	
10.	Deck scupper pipes free of obstructions and in				
11 4	good condition?				
11.*	Air pipes/closing appliances in acceptable				
	condition & operable?		_		
10	Flame screen fitted in oil tank air pipes?  Yeartiletian templa in antiforation and little 2		⊢	<u> </u>	
12.	Ventilation trunks in satisfactory condition?			Ш	
13.*	Watertight doors/rubber gaskets in satisfactory condition?				
	Cleats in place and in suitable condition?				
		-	+		
14.	<ul> <li>Gasket in place and sufficient for watertightness?</li> <li>Windows and portholes/side scuttles acceptable?</li> </ul>	_	<del>-</del> H-	-	
14.	Glass & closing appliances in satisfactory				
	condition?				
	Deadlights in place or available?				
15.	Anchors, windlasses & mooring arrangements				
15.	satisfactory?				
	Anchors and chain in good condition?		П	П	
	Windlass in good operable condition?	$\exists$	Ħ	H	
	Mooring winches in good operable condition?	Ħ	Ħ	Ħ	
	Sufficient mooring ropes and in good condition?	Ħ	Ħ	Ħ	
	Hydraulic piping in good condition and free of		<del></del>		
	leaks?		Ш	Ш	
16.	Maintenance of masts, cranes and rigging				
. 0.	satisfactory?		$\Box$		
	Cargo gear register available and signed off?	П	П	П	
17.	Electrical systems and cables on deck & masts in	] [			
• • •	acceptable condition?				
	Cables protected and properly secured?				
	• Equipment protected and in acceptable				
	condition?		$\Box$		

	ALL TANK VESSELS:			
18.	Fore and aft walkways and gangways in acceptable condition?			
19.	Cargo & ballast deck lines in good condition & free of leakages?			
20.*	Pressure/Vacuum (PV) valves free of leakages, working and in acceptable condition?			
0.1	Flame screen installed in PV breaker?	П		
21.			Ш	
22.	Emergency towing arrangement fitted and in acceptable condition?			
23.*	Pump room clean and in satisfactory condition?			
	<ul> <li>Fire extinguishing systems satisfactory?</li> </ul>			
	<ul> <li>Pump room safety equipment in good condition?</li> </ul>			
24.	Confined Space entry precautions taken?			
25.	Cargo control room equipment in good workable condition?			
	<ul> <li>Gauges operable and giving the proper indications?</li> </ul>			
	<ul> <li>Is there any damage, pitting or heavy corrosion?</li> </ul>			
Defici	encies / Observations / Comments - PART X: HULL			
Delici	Choice / Observations / Continients - FAREA. HULL			

PART	XI: MACHINERY AND ELECTRICAL	Yes	No	N/A	Remarks
1.	Engine Control Room				
	<ul> <li>Main &amp; Auxiliary panels in good condition?</li> </ul>				
	<ul> <li>Switchboard gauges in good working condition?</li> </ul>				
	Generator controls in good condition?				
	<ul> <li>Insulation matting in front of switchboards?</li> </ul>				
2.	Emergency lights marked?				
3.	Electrical Cables - properly fastened, no broken				
	fittings & no cables with bare ends and in good				
	condition?				
4.*	Main engine free of oil and water leakages?				
	<ul> <li>Exhaust gas system lagging in good condition?</li> </ul>				
	Fuel piping double walled?				
5.*	Fuel systems in satisfactory operable condition?				
	Fuel oil pipes and valves free of leakages?				
6.*	Auxiliary engines/generators in good operating	]			
	condition?		Ш		
	Free of water and oil leaks?				
	• Double wall fuel pipes fitted and in good				
	condition?			🏻	
	Exhaust system lagging in good condition?				
7.	Boilers and steam systems appear satisfactory and				
	free of excessive leakages?				
	• Lagging on boiler exhaust and steam lines	]			
	appear satisfactory?				
8.	Exhaust manifold and exhaust lines in satisfactory			П	
	condition?	Ш	Ш		
	All necessary lagging in place and in satisfactory				
	condition?	]			
9.	Engine room vent & ducting systems in good				
	condition?				
10.	Bilge and ballast pumps in good operable			П	
	condition?		Ш		
	• Pumps, valves and piping free of patches and			П	
	leakages?				
11.	Feed & cooling pumps, piping and valves in good		П		
	condition?				
12.*	Shipboard waste incinerator satisfactory and in				
	good operable condition?	] [	] [		
13.	Purifiers and Purifier space satisfactory?		_Ц_		
	<ul><li>Purifiers clean and free of leakages?</li></ul>				
	<ul><li>Purifier room(s) free of fire hazards?</li></ul>				
14.	Fresh water coolers free of leakages?				
15.	Air compressors & piping, valves in good condition?				
16.*	Engine room firefighting equipment satisfactory?				
	<ul><li>Fixed system in operable condition?</li></ul>				
	• Fire hoses in good condition & connected to				
	hydrants?	]	]		
	• Piping & hydrants in good condition & free of		П	П	
	leakages?	]	]		
	Portable & non-portable extinguishers charged &				
	in acceptable condition?	]	]		
17.*	Engine room bilges & other machinery areas free of				
	oil, debris and other fire hazards?	] [	]		
18.	Marine sanitation device in satisfactory condition?				
	ALL TANK VESSELS:	,		ı	
19.	Cargo pumps & their prime movers in satisfactory	П		П	
	condition?	] [	] [		
	<ul><li>Pump, valves &amp; piping free of leakages?</li></ul>	<u> </u>		$\sqcup \! \! \perp \! \! \! \! \perp$	
20.*	Inert gas system working properly?				
	<ul> <li>Oxygen indication &amp; control working properly?</li> </ul>		<u> </u>		
	<ul> <li>Deck-seal in satisfactory condition?</li> </ul>				
21.*	ODM device in operable condition, including				
	indicators?				



PART XII: STEERING			No	N/A	Remarks	
	: Piston Rotary Vane)					
1.*	Full movement of rudder verified (35 port to 30 starboard)?					
2.*	Steering linkage in satisfactory condition & operating properly?					
3.*	System free of excessive leaks?					
4.*	Means of communication between the navigation					
	bridge & the steering compartment satisfactory?					
5.*	Changeover procedure diagrams posted?	$\Box$	<u> </u>	┝╠┈		
	<ul><li>Easy to follow?</li><li>Officers familiar with changeover procedures?</li></ul>		片			
6.*	Emergency steering system operating properly?	H	H	H		
7.*	Heading information displayed visually at emergency steering position (required onboard					
	vessels built after 1 February 1992)?					
Deficiencies / Observations / Comments - PART XII: STEERING						

No.	Deficiency Code	Description of Deficiency	Action Code	Rectification Due Date	Status Code

PART IX: GENERAL REMARKS						
(General comments regarding the overall condition of the vessel & the competence of the officers & crew as well as OBSERVATIONS and/or RECOMMENDATIONS)						
CURRENT OPERATIONAL & VOYAGE CIRCUMSTANCES:						
DOCUMENTATION & RECORDS:						
DOCOMENTATION & RECORDS.						
HULL, DECKS & FITTINGS:						
A A CUIN FRY & FLEOTRICAL						
MACHINERY & ELECTRICAL:						
ACCOMMODATIONS (Internal / External):						
SAFETY & FIREFIGHTING:						
CDEW EANAII IADITY						
CREW FAMILIARITY:						
OBSERVATIONS & RECOMMENDATIONS DISCUSSED WITH MASTER & CHIEF ENGINEER (provide summary):						
Name of FSI Inspector:	Name of Master (or Representative):					
Signature of FSI Inspector:	Signature of Master (or Representative):					